FOR MYSORE STATE

Public Works (1953) Department.

MS SERIES.

close
24.6.53.
Sgd/-

G.O. NO. 2685

Dated 24-6-1953.

[Despatch Abstract.]

Irrigation - Mysore State - Kolar dt. - Bagepalli taluk. Mudaka varipalli Bommalakere - Restoration Papers. Recorded

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE.

No. pw 10184-85
Jun 220-48-2

General and Revenue Secretariat,

Dated Bangalore, 14/6/1949.



FROM

The Secretary to the Government of
His Highness the Maharaja of Mysore.
Public Works Department.

To

The Secretary to the Government of Madras,
Public Works Department,
~~Bangalore.~~ Madras

11.6.49

SIR,

Restoring Muddakavaripalli Bommadagere, Registered No.794 of Bagepalli Taluk, in Kolar District.

I am directed to state that Muddakavaripalli, Bommalakere is an unrestored minor tank with an atchkat of 28 acres 9 guntas yielding an assessment of Rs.179-12-0. Due to gradual silting, the capacity has g reduced from 26 units to 14.32 units, with the result that the suppl is not adequate for the atchkat. It is therefore proposed to restore tank to its original capacity by raising the top of bund and revetment standard levels and by constructing a new weir 120 feet long in place the natural weir, without increasing the capacity or its atchkat.

2. As the tank is situated in the agreemental zone, I am to requ that the Government of Madras may kindly be apprised of the proposal does not contemplate either to increase the capacity or to extend the atchkat beyond the original figures.

Yours faithfully,

4/21-6

Hariveshwarayya
13/6/49
Secretary to Government,
Public Works Department.

Endt No. 2529-F/49-1 dated 20.6.49 for P.W.D(F)

Referred to the CE P.W.D (Irrigation Branch) for very early remarks through the Board of Rev.

17.6.49 17/6/49 20/6/49

To
The CE P.W.D,
(Irrigation Branch)
with copy of cf.
copy to Bd of Rev
Tels communicated to CE PWD on

C.F.

Public Works Department.

REMINDER. F Section Branch.

To The Chief Engineer P.W.D. Madras
(Irrigation Branch)

I ~~have the honour to invite~~ am directed to invite attention to your Endt No. 2529-F/49-1 dated 20.6.49 and ~~to request that the reply to it may be expedited~~ request that this reminder may be returned at once with information as to—

Ex-Reminder dated 2.8.49

(1) the stage at which the matter now is,
(2) the date by which a reply may be expected, and
(3) ~~the circumstances which have caused the~~ delay.

Office P.W. Secty.

Station Fort St. George

Dated 7.9.49

Signature.

For Assistant Secretary to Govt

Designation.

SUBJECT.

Irrigation – Mysore State – Kolar Dt – Bagepalli Taluk – Restoring Kuddakavari-palli Bommalakere – Registered No. 794 – Remarks

[P.T.O.

4

REPLY.

To The Secretary to Government,
Public Works Department,
~~Fort St. George~~, Madras.

Sir, J 4165

The Govt. reference has been forwarded to the Superintending Engineer for remarks and his reply is awaited. He is being reminded to expedite his reply.

V. Ar[illegible]swami 28/9/49
for Chief Engineer (Irrigation)

Encl: 1 Ex.Rdr.

28/9

P.W.D.(I)

A.R. [illegible] 5-10-49

4-10-49.

5/10

P.W.D(I)

T.M. No. 2529-I/49-2 dated 7-11-49.

From The A.S.P.W.D.

To The CE P.W.D. (Irrigation Branch)

Sub: Irrigation - Mysore State - Kolar st - Bagepalli Taluk - Restoration & Restoring Muddakenaeripalli Bommalakere - Reg. No. 794 - Remarks

Ref: Govt endt No. 2529-I/49-1 dated 20.6.49 and reply (to Ex. Reminder) dated 28.9.49.

Please expedite your remarks.

7.11

p/Cf

5/11/49

P.C. to issue.

5/11/49

5/11/49

P.W.D.(T)

T.M. No. 2529-8/49-3 dated 12.12.49

From Tee A.S. P.W.D.

To Tee CE. P.W.D. (Irrigation Branch)

Sub: Irrigation - Mysore state - Kolar dt - Bagepalli Taluk - Restoring Muddakavaripalli Bomonalakere

Ref: Govt endt No. 2529-8/49-1 dated 20.6.49 and P.C 8-T.M No. 2529 8/49-2 dated 7.11.49

Please expedite your remarks.

P.C to issue

12/12/49

10.12.49

10/12/49

12.12.49



From Sri
A.R.Venkatachari, B.E.,M.I.E.
(Ind),M.Am.Soc., C.E.,I.S.E.,
Chief Engineer for Irrigation,
Chepauk. M a d r a s.

To The Secretary to Government,
Public Works Department,
M a d r a s.

No.3517/49-P-3 d/29-12-49.

Sir,

Sub:- Irrigation- Mysore State- Kolar District- Bagepalli Taluk- restoring Muddakaveripalli Bommalakere-

Ref:- Post copy of Telephonic message No.2529-J/49-2 d/7-11-49.
& -do- -d - 2529-J/49-3 d/12-12-49.

...

The Superintending Engineer's remarks on the reference are still awaited. He is being reminded to expedite his reply.

A.R. Srinivasan 4.1.50

pr.3/1. For Chief Engineer for Irrigation.

4/1.

AR — 4.2.50

2.1.50

P.W.D.(F)

T.M. No. 2529-8/49-4 dated 4-2-50

From The A.S. P.W.D.

To The CE. P.W.D. (Irrigation Branch)

Sub. Irrigation – Mysore State – Kolar dt. – Bagepalli Taluk – Restoring Mudda Kanaripalli Bommalakere.

Ref. your letter No. 3517/49. R.3 dated 29.12.49

Please expedite your Remarks.

4.2.50

4/2/50.

7b/6.2

ps 9 ante

P.C to issue

2529-J/49)

From Sri
A.R.Venkatachari,B.E., M.I.E.(Ind),
M.Am.Soc.C.E., I.S.E.,
Chief Engineer for Irrigation,
Chepauk, M a d r a s.

To
The Secretary to Government,
Public Works Department,
Fort St.George, Madras.

ANT SECRETARY TO GOVT
1- MAR 1950
J 1058
PUBLIC WORKS

Letter No. 3517/49-R-5 dated 20-2-50.

Sir,

Sub: Irrigation - Mysore State - Kolar District - Bagapalli Taluk - Restoring Muddakanaripalli Bommalakere
Ref: Post copy of Government, P.W.D. T.M. No. 2529-J/49-4 dated 4-2-50.

The report from the Superintending Engineer is still awaited. He is being reminded to expedite it.

V. Krishnaswami 22/2/50
for Chief Engineer for Irrigation.

p.p/22-2.

P.W.D.(T)

A.R. Lee 5.4.50

1.3.50 1/3/50. 2.3.50

15

P.W.D.(I)

12/50/AP

T.M. No. 2529-I/49-5 dated 6.4.50

From The A.S. P.W.D

To The CE P.W.D (Irrigation Branch).

Sub: Irrigation - Mysore State - Kolar Dt - Bagepalli Taluk - Restoring Mudda Kavaripalli Bommalakere.

Ref your letter No. 3517/49-R.5 dated 20.2.50

Please state whether the S.E's report has since been received and if so when your reply can be expected.

P.E. to issue.

12/4/50

5.4.50

5/4/50.

6.4.50

ASST. SECRETARY TO GOVT. 2029 J 23 APR 1950 PUBLIC WORKS DEPARTMENT

P.W.D. (5)
A.R.Cell 25-5-50
KNV 24-4-50

From Sri
A.R.Venkatachari, B.E., M.I.E., (Ind)., M.Am. Soc., C.E., I.S.E.,
Chief Engineer for Irrigation,
Chepauk, M a d r a s.

To
The Secretary to Government
Public Works Department,
Madras.

-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-o-

Letter No. 3577/49 R-7 dated 18-4-50.

Sir,

Sub: Irrigation - Mysore state - Kolar District Bagepalli Taluk - Restoring Mudda Kavaripalli - Bommalakere.

Ref: P.C. of Govt. P.W.D. T.M. No. 2529 J/49-5 dated 6th April 1950.

The Superintending Engineer's reply is still awaited. He is being reminded to expedite it.

P.W.D(5)
A.R.Cell 25-5-50
24/4/50.
26.4.50

V. Anjinappaswami 19/4/50
for Chief Engineer for Irrigation.
19/4

P. W. ~~[illegible]~~ D. (J)

19

T. M. No. 2529 J/49-6 dt 1-5-50

From The A. S. P. W. D.

To The C. E. P. W. D. Irrgn. Branch

Sub:- Irrigation - Mysore State - Kolar Dt - Bagepalli Taluk - Restoring Muddakavanipalli Bommalakere.

Ref:- Your letter No. 3517/49-R-9 dt ~~22-2-50~~ 18.4.50.

Please state whether the S. E.'s report has since been received and if so when your reply may be expected.

p. 17 CF.

p. c. to issue

3/6

27/5

27/5/50

(I.E. 9/49)

21

From Sri
A.R.Venkatachari,B.E.,M.I.E.(Ind),
M.Am.Soc.C.E., I.S.E.,
Chief Engineer for Irrigation,
Chepauk, M a d r a s.

To
The Secretary to Government,
Public Works Department,
M a d r a s.

No.3517/49-R-9 dated 16-6-50

Sir,

Sub:- Irrigation- Mysore State- Kolar District- Bagepalli Taluk- restoring Muddakavaripalli- Bommalakere-

Ref:- Govt.(P.W.D.) Post copy of T.M.No.2529/J/49-6 dated 10-6-50.

p 19 ante

The report called for from the Superintending Engineer is still awaited and he has been reminded to expedite it. On receipt of his reply, a report will be sent to Government.

pr-20/6

V. Krishnaswami 21/6/50
For Chief Engineer for Irrigation.

21/6/50.

ASSISTANT SECRETARY TO GOVERNMENT
3032
24 JUN 1950
PUBLIC WORKS DEPARTMENT

P.W.D(T)

A.R. till 30.7.50

24.6.50

25/6/50.

30.6.50

1-5

P.W.D.(I)

T. M. No. 2529-I/49-7 dated 2-8-50

From The A. S. P.W.D.

To The C.E. P.W.D. (Irrigation Branch)

Sub: Irrigation - Mysore State - Kolar Dt - Bagepalli Taluk - Restoring Muddakanaripalli Bommalakere.

Ref. your letter No. 3517/49-R.9 dated 16-6-50

Please state whether the S.E's report has since been received and if so, when your reply may be expected.

P.C to cycle

1-8-50

2-8-50

for S.E.

From Sri
A.R.Venkatachari,B.E.,M.I.E.(Ind),
M.Am.Soc.C.E., I.S.E.,
Chief Engineer for Irrigation,
Chepauk, M a d r a s.

To
The Secretary to Government,
Public Works Department



No.3517/49-R-12, dated 10th August 1950.

Sir,

Sub:- Irrigation - Mysore State - Kolar district - Gagepalli taluk - Restoring Muddakavaripalli Dommalakere.

Ref:- Government (P.W.D.) P.C. of T.M. No.2529/J/49-7 dated 2-8-50.

The report has been received from the Superintending Engineer and is under examination. A reply will be sent to Government as early as possible.

for Chief Engineer for Irrigation

16/8/50

16 8

WIRE.

From Sri A.R.Venkatachari, B.E., M.I.E.(Ind), M.Am.Soc.C.E., I.S.E., Chief Engineer for Irrigation, Chepauk, Madras.

To The Secretary to Government, Public Works Department, Fort St.George, Madras.



No.3517/49-R-13 dated 12-8-50

Sir,

Sub:- Restoring lost capacities of tanks in Mysore State - 1892 Agt. between Madras and Mysore (1)Mudakavaripalli Bommadagere (2) Thippapur Vadakal-dekatte (3) Pathapalli Balareddikere

Ref:- Govt.Endt.Nos.(1) 2529J/49-1 d/20-6-49 (2) 6093-I/48-6 d/28-9-49 (3) 2414J/49-1 dated 11-6-49.

Local officers' attempts to get at some particulars from Mysore P.W.D. for verification of the data regarding silting up have not been successful, besides the difficulty in locating items (1) and (3) in Survey of India Sheets, to see which Madras Source (Tanks etc.,) will be affected by the proposals of Mysore. Hence, full details regarding location, etc. of these sources may please be called for.

2. As regards item (2), its location is in the Madras Purghi tank catchment --vide item 1, schedule F of 1892 Agt. In all these cases, the main objective of Mysore's proposals is to restore the lost capacities of their tanks and such works as are necessary for this purpose they can do under rule 1(3) of the 1892 Agt.

3. I invite attention to my letter No.3931/49-R-10 dated 5-4-50 and the previous correspondences referred to therein and request information on the decision reached by Government in regard to all these references from Mysore and the implications of the rules framed under 1892 Agreement.

V. Ar[illegible] 12/8/50

For Chief Engineer for Irrigation.

pr. 12/8

URGENT.

From Sri
A.R.Venkatachari,B.E.,M.I.E.(Ind),
M.Am.Soc.C.E., I.S.E.,
Chief Engineer for Irrigation,
Chepauk, M a d r a s.

To
The Secretary to Government,
Public Works Department,
Fort St.George, Madras.



No.3517/49-R-13 dated 12-8-50

Sir,

Sub:- Retoring lost capacities of tanks in Mysore State - 1892 Agt. between Madras and Mysore (1)Mudrakavaripalli Bommadagere (2) Thippapur Vadakavadakatte (3) Pathapalli Balareddikere

Ref:- Govt.Endt.Nos.(1) 2529J/49-1 d/20-6-49 (2) 6093-I/48-6 d/28-9-49 (3) 2414J/49-1 dated 11-6-49.

Local officers' attempts to get at some particulars from Mysore P.W.D. for verification of the data regarding silting up have not been successful, besides the difficulty in locating items (1) and (3) in Survey of India Sheets, to see which Madras Source (Tanks etc.,) will be affected by the proposals of Mysore. Hence, full details regarding location, etc. of these sources may please be called for.

2. As regards item (2), its location is in the Madras Purghi tank catchment --vide item 21, schedule B of 1892 Agt. In all these cases, the main objective of Mysore's proposals is to restore the lost capacities of their tanks and such works as are necessary for this purpose they can do under rule 1(3) of the 1892 Agt.

3. I invite attention to my letter No.3961/49-R-10 dated 5-4-50 and the previous correspondences referred to therein and request information on the decision reached by Government in regard to all these references from Mysore and the implications of the rules framed under 1892 Agreement.

V. Ath mishnaswamy 12/8/50

For Chief Engineer for Irrigation.

pr. 12/8

P.W.D.(J).

Letter No. 2529 8/49-8 Dated 5·10·50

To

The Secretary to the Govt. of Mysore,

P.W.Department Bangalore.

Sir,

Sub:- IRRIGATION--Mysore State--Kolar District--Bagepalli Taluk--Muddakavaripalli Bommalakere--Restoration.

Ref:- Your letter No.P.W. 10184-85 Irn. 220-48-2 dated 14-6-1949,

I am directed to request you to ~~for~~ furnish the number of the Survey of India Sheet showing the location of the above tank and forward particulars ~~of~~ such as the longitude and latitude of the number of the basin wherein the ~~tank~~ it is situated etc. I am also to request you to state ~~for~~ how long the tank has been functioning with the present reduced capacity and what the actual extent irrigated by it during each of the last 30 years was.

Y.F.

Copy to the C.E.(I).
for information with
ref. to his No.3517-P/49.R.13.
dated 12-8-1950.

Letter no 2529 J/49-9 dated 14-11-50. PW.D(I)

Sd/ 15/11

To

The Secretary to the Govt of Mysore,
P. W. Deptt, Bangalore.

Sir,

Sub:- Irrigation - Mysore State - Kolar Dt - Bagepalli Taluk - Muddakavarapalli Bommalakere - Restoration.

Ref:- This Govt's letter no 2529 J/49-8 dated 5-X-50.

I am directed to invite a reference to the letter cited and to enquire when your reply may be expected.

Sd/ 19/11

Copy to the C.E (I) PWD; Madras. 13-11-50

BS 13/11/50

13.11.50

Y.T

32

Letter no 2529 J/49-10 dt 20.12.50

To The Secretary to the Govt of Mysore
Public Works Deptt, Bangalore.

Sir,

Sub. Irrigation. Mysore State. Kolars
Bagepalli Taluk. Muddahavanpalli
Bommalekere. Restoration.

Ref This Govt. letter no 2529 J/49-8 dt 5.5.51 / 29 Engrs
& subsequent reminders dt 14.11.51

I am directed to invite a reference to the letter cited & to enquire when a reply may be expected

yd

20-12-51

18/12

Addl 2/11

Letter no 2529 T/49-11 d 24-1-51

To The Secretary to the Govt of Mysore
Public works Deptt, Bangalore.

Sir,

Sub Irrigation. Mysore State. Kolar Dt
Bagepalli Taluk. Muddahavari
palli Bommalakere - Restoration

Ref. Govts letter no 2529 T/49 - 8.
25.X.50 & subsequent reminders
dt 14.11.50 & 20.12.50

I am directed to
invite a reference to the letters
cited and to enquire when a
reply may be expected

Yf

18/1/51 19/1/51 24.1.51

GOVERNMENT OF ~~HIS HIGHNESS THE MAHARAJA~~ OF MYSORE.

General and Revenue Secretariat,

No. PW 8842-43. *Dated Bangalore,* 30/1/51.

FROM

The Secretary to the Government of ~~His Highness the Maharaja of~~ Mysore,
Public Works Department.

To

The Secretary to Government of Madras,
Public Works Department,
Madras.

ASSISTANT SECRETARY TO GOVERNMENT
1 FEB 1951
PUBLIC WORKS DEPARTMENT

IRRIGATION-MYSORE STATE - KOLAR DISTRICT
BAGEPALLY TALUK - MUDDAKARIPALLI BOMMALA-
~~KERE~~ - RESTORATION.

Sir,

I am directed to refer to your letter No.2529 J/49-10 dated 20th December 1950 on the above subject and to state that on receipt of the report called for from the Chief Engineer a reply will be sent to you.

That Officer has been reminded to expedite the same.

Yours faithfully,

30/1/51

for Secretary to Government,
Public Works Department.

J. A. S

P.W.D

A.R. file 8-3-51

12/2/51

22.2.51

2/2/51

Letter no 2529-T-49-12-Dt 14-3-51

To The Secretary to the
Govt of Mysore,
Public Works Deptt.
Bangalore

9/IV/51

Sir,

Sub Irrigation
Mysore State - Kolar Dt
Bhupalli Dabuk -
Muthavanipalli
Formation
Reclamation

PW

Ref your letter no
P.W. 8842-43 D30-1-51 dated

I am directed
to invite attention
to your letter cited
and to enquire
when a reply in the
matter may be
expected.

14-3-51

IV
9.3.51

9/3/51

31 PW(E)

Letter no 2529 J/49-13 d 16.4.57

To The Secretary to the
Govt of Mysore,
Public works Dept, Bangalore

Sir,

Sub. Irrigation. Mysore State.
Kolar Dt. Bagepalli
Taluk. Nandikanipalli
Bommalekere - Restoration.

Ref your letter no PW 8&462-42 d 30.1.57 &
this Govts letter no 2529 J/49-1-2/PW4 d/57

I am to invite attention to the references cited and to enquire when a reply in the matter

PTO

39

GOVERNMENT OF ~~HIS HIGHNESS THE MAHARAJA~~ OF MYSORE.

ASSISTANT SECRETARIAT GOVERNMENT OF
20 APR 1951
PUBLIC WORKS DEPARTMENT

No. PW 606- 7 **General and Revenue Secretariat,**

Dated Bangalore, 24/4/1951

FROM

The Secretary to the Government of ~~His Highness the Maharaja~~ of Mysore.
Public Works Department, Bangalore.

To

The Secretary to Government of Madras,

Public Works Department, Madras.

IRRIGATION - MYSORE STATE - KOLAR DISTRICT
BAGEPALLI TALUK, MUDDAKARIPALLI - BOMMALAKERE
RESTORATION.

Sir,

I am directed to refer to your letter No.2529 J/49-12 dated 14th March 1951 on the above subject and to state that the report called for from the Chief Engineer in the matter has not been received and that on receipt of the same a reply will be sent to you.

The Officer has been reminded to expedite the same.

Yours faithfully,

Secretary to Government,
Public Works Department.

TSRN.

Letter no 2529 J/48-14 d 6.6.57

To The Secretary to the
Govt of Mysore,
Public works dept
Bangalore.

Sir,

Sub. Irrigation. Mysore
State. Kolar Dt.
Bagepalli Taluk.
Muddakavanipalli
Bommalakere.
Restoration.

Ref. your letter no
P.W 606-7 d 24.4.57

I am directed to invite attention to your letter cited and to enquire when a reply in the matter may be expected

Y.f.

1-
.6.57

5/6/57

6.6.57

GOVERNMENT OF MYSORE

No. PW 2541-42.

General and Revenue Secretarat,

Bangalore, Dated 30/6/51.

From

The Secretary to the Government of Mysore,
Public Works Department.

To

The Secretary to Government of Madras,
Public Works Department, Madras.

Sir,

Sub:- Irrigation - Mysore State - Kolar District Bagepally Taluk - Muddakavaripalli - - Bommalakere - Restoration.

I am directed to refer to your letter No.2529-T. 49-14 dated 6-6-1951 on the above subject and to state that the report called for from the Chief Engineer in the matter has not been received and that on receipt of the same a reply will be sent to you.

That officer has been reminded to expedite the same.

P.W (T)

Yours faithfully,

29/6/51

for Secretary to Government,
Public Works Department.

A.R. Tee 15.8.51

4/7/51

4/7/51

5.7.51

Letter no 2529 T | 49-15 dt 27.8.57

To The Secretary to the Govt of Mysore
Public works dept.
Bangalore.

Sir,

Sub: Irrigation - Mysore State.
Kolar dt. Bagepalli
Taluk. Ruddikavanipalli
Bommalakere: Restoration

Ref your letter no PW 2541-42 dt 30.6.57

I am directed to invite attention to your letter cited and to enquire when a reply in the matter may be expected

Y.F

23857. 24/8/57

27.8.57

GOVERNMENT OF MYSORE.

General & Revenue Secretariat,

No. PW 5493-94 Bangalore, dated 21/9/1951

83070
25 SEP 1951

FROM

THE SECRETARY TO GOVERNMENT,
Public Works Department.

To

The Secretary to Government of Madras,
Public Works Department, Madras.

SIR,

Sub:-Irrigation - Mysore State - Kolar District - Bagepally Taluk - Muddakavaripally Bommalakere - Restoration.

I am directed to refer to letter No.2529 J/49-15 dated 27-8-1951 on the above subject and to state that the report called for from the Chief Engineer in the matter has not been received and that on receipt of the same a reply will be sent to you.

That officer has been reminded to expedite the same.

Yours faithfully,

21.9.51

Secretary to Government,
Public Works Department.

J.O. A.S

P.W.D(Fs)

A.R. tee 25-x-51

25/9/51

25/9/51

FROM SRI
A.R.VENKATACHARI,B.E.,M.I.E.(Ind);
M.Am.Soc.C.E., I.S.E.,
CHIEF ENGINEER FOR IRRIGATION,
CHEPAUK, M A D R A S - 5.

To
The Secretary to Government,
Public Works Department,
Madras.

No.3517/49-R-14 dated 6th October 1951.

Sir,

Sub:-Irrigation - Mysore State - Kolar District - Bagepalli taluk - Muddakavaripalli Bommalakere - Restoration -

---

Ref:-Govt. (P.W.D.) letter No.2529 J/49-8 dated 5-10-50 addressed to the Secretary to Government of Mysore, P.W.D. and copy to C.E.I.

I invite reference to the Government letter cited above and request to be informed whether any further reference on the subject has been received from Mysore and if so, what orders were passed on it by Government.

for Chief Engineer for Irrigation.

KK. 6/10.

memo no 2529 T/45-16 dt 20.10.51

Sub. Irrigation. Mysore State. Kolar.
Dt. - Bagepalli Taluk -
Muddakavanipalli Bommala.
Kere - Restoration

Ref. From the C.E (I) no 3517/49. R.14 dt 26 X 51

The C.E (I) is informed that final reply of Mysore govt in the matter is still awaited

V. side p 43 ante

20.11.51

To the C.C (I)

26 X 51

16/11/51

47 PWD-T3

Letter no 2529 T/48-17 d 19.11.57

To The Secy to govt of Mysore,
P.W. Dept, Bangalore.

Sir,

Sub. Irrigation - Mysore State -
Kolar dt - Bagepally Taluk.
Ruddakanipalley Bomma
lakere - Restoration

Ref. your letter no PW 5493-94 d 21.9.57

I am directed to invite attention to your letter cited and to enquire when a final reply in the matter may be expected

yf

16/11/57

18.11.57

GOVERNMENT OF MYSORE.

49

No. PW 7221-22/Enl.1 General and Revenue Secretariat,
Bangalore, Dated 23/11/1951.

FROM

THE SECRETARY TO GOVERNMENT,
Public Works Department.

To

The Secretary to Government of Madras,
Public Works Department, Madras.



SIR,

Sub:- Irrigation - Mysore State - Kolar District, Bagepalli Taluk - Muddakaveripalli Bommalakere Restoration.

I am directed to refer to your letter No.2529-3/49-8 dated 5-10-1950 and subsequent reminders and to forward herewith a statement furnishing the available particulars in respect of the tank.

2. The statistics regarding the extent irrigated prior to 1939 etc., are not available, the records having been destroyed.

Yours faithfully,

for Secretary to Government,
Public Works Department.

Irrigation Particulars of Maddakavarapalli Bommarallakere, Bagepalli Taluk.

1. Survey of India Sheet -- No.57 G/13
2. Longitude -- 13°55'0"
3. Latitude -- 77°53'0"
4. Basin -- North Pennar - Minor Series No.8, Gulur Sub Series.

Sl.No.1125	Reg.No.794	Atchkat under cultivation	Assessment.
		28 - 0	Rs.140-0-0

As verified from the Revenue Records in the Taluk Office, information regarding the actual extent irrigated is given below.

Year	Extent irrigated. Acs.	G.	Year.	Extent irrigated. Acs.	G.
1938-39	27	7	1949-50	25	7
1939-40	12	7	1950-51	7	19
1940-41	25	24			
1941-42	13	23			
1942-43	24	28			
1943-44	27	16			
1944-45	24	27			
1945-46	28	1			
1946-47	27	7			
1947-48	22	26			
1948-49	27	25			

Copy

Secretary to Government,
Public Works Department.

49 to 30-11

P.W.D - J3

memo no 2529 J/49-189 29.11.51

Sub. Irrigation - Mysore State - Kolar Dist
Bagepalli taluk - Mudakavanipalli
Bommalakere. Restoration of

1/ Ref. letter from the Secy to govt of Mysore, P.W.D
no P.W 7221-22 dated 23.11.51

With reference to
f para 1 of the Chief Engineer's (Irrigation)
letter no 3517/49-R-13 dated 12.8.50, on
the above subject, a copy of Mysore
govt's letter cited is forwarded to
him. He is requested to offer his
remarks on the Mysore govt's proposals
to ~~for the~~ restoration ~~of~~ the tank referred to
above, at an early date

29/11/51

To the C.E (I) Bgl 5/12
with a copy
of M 49-51 c/ 22/12/51 23/12/51

P.W.D-J3

J.M. no 2529 J/49-15 d 31-12-57.

From the Asst Secy to govt. P.W.D.

To the C.E (I)

Sub. Irrigation. Mysore State. Kolar District. Bagepalle Taluk. Mudakamaripalle Bommalakere - Restoration of

Ref. ~~Your~~ Govt memo no 2529 J/49-15 d 29.11.57. / S: and L

Please expedite the submission of your reply to the reference cited or state when it may be expected

P.C. to go

From Sri.
A.R.Venkatachari, B.E.,M.I.E.(Ind).,
M.Am.Soc., C.E.,I.S.E.,
Chief Engineer for Irrigation,
Chepauk.Madras.

To
The Secretary to Government,
Public Works Department,
M a d r a s.

No.3517/49R-15 dated 28th December 1951.



Sir,

Sub: Irrigation - Mysore State - Kolar District - Bagepalli taluk - Mudakavaripalli Bommalakere - Restoration of.

Ref: P.W.D. Memo No.2529 J/49-18 dated 29th November 1951.

This tank is in the Chitravati catchment in Mysore (or Bukkapatna tank of Madras) and is within the prohibited zone-vide item 30 Schedule B of 1892 Agreement. The village Mudakavaripalli is traceable in Survey of India sheet No.57 G/13 but not the tank.

2. Mysore propose to restore the lost capacity from the present capacity of 14.32 units (1 Unit-6' depth on an acre) to 26 units. The statistics given by Mysore show that the registered achkat of the tank has been irrigated in 1945-46 and more than 90 to 95% in most of the other years. If this is the position, then there is no case for restoration aiming at increased capacity. But under Rule 1 (3) of the 1892, Agreement, Mysore's restoration cannot be objected to as increase of the level of waste weir and other improvements are permissible subject to the condition.

" xxx provided that either the quantity of water to be impounded or the area to be irrigated is not more than the quantity previously impounded or the area previously irrigated xxx". What exactly is meant by "previously impounded or irrigated" is under examination by Government. Till a decision is come to on the interpretation to be put on the above wordings of the agreement it is difficult to deal with such cases.

3. To the question how long the tank has been functioning with the present reduced capacity raised by Government in letter No.2529-J/49-8 dated 5/10/50 there has been no reply from Mysore yet. A definite reply from Mysore is necessary on this point as our prescriptive rights on the unused waters of Mysore depend on the number of years that the tank has been functioning as at present.

V. Annaswami 12/1/52
For Chief Engineer for Irrigation.

SR/5/1

P.W.D.(J.3.).

Letter No. 2529 J/49- 20 , 5.2.52

To

The Secretary to Government of Mysore,
Public Works Department, BANGALORE.

Sir,

Sub:-IRRIGATION--Mysore State--Kolar District--Bagepalli Taluk-Muddakavaripalli Bommalakere-Restoration.of.

Ref:- Your letter No.P.W. 7221-22 d/23-11-1951.

I am directed to state that in your letter cited, information as to the period during which the above tank has been functioning with the existing reduced capacity has not been furnished as requested in this Govt.'s letter No.2529 J/49-8 dated 5-10-50. I am therefore to request that this information may ~~kindly~~ be furnished at an early date.

Y.F.

Copy to the C.E.(I).

To P.W.D. - J3

Letter no 2529 J/49-21 dt 8.3.52

To The Secretary to the govt of Mysore
Public works Dept. Bangalore

Sir,

Sub: Irrigation. Mysore State. Kolar District. Bagepalli Taluk. Muddakamaripalli Bommala Kere - Restoration of

Ref: This govt's letter no 2529 J/49-20 dt 5-2-52

I am directed to invite your attention to this govt's letter cited and to enquire when the information requested for may be expected to reach this govt.

y.f.

8.3.

61

b

GOVERNMENT OF MYSORE.

No. PW 10 196-97.

General and Revenue Secretariat,

Bangalore, Dated 14/3/1952

ASSISTANT SECRETARY
18 MAR 1952
20688
PUBLIC WORKS DEPARTMENT

FROM

THE SECRETARY TO GOVERNMENT,
Public Works Department.

To

The Secretary to the Government of Madras,
Public Works Department, Madras.

SIR,

Sub:- Irrigation - Mysore State - Kolar District - Bagepalli Taluk - Muddakavaripalli Bommalakere - Restoration of.

I 57 cole

I am directed to refer to your letter No.2529.J/49-20 dated 5th February 1952 on the above subject and to state that the particulars required are not readily available. The Chief Engineer has however been requested to collect the information and forward the same. On receipt of a report from that officer a final reply will be sent.

Yours faithfully,

(H.Channiah) 13/3/52
for Secretary to Government,(P.W.Dept).

J.A.S.

P.W.D.

A.R. tee 20-4-52

BJ)2

PWD. T3

Letter no 2529 T/49. 22 dated 10.6.52

To

The Secretary to the govt of Mysore,
Public Works Dept, Bangalore.

DPK 12.6.52

88805

Sir,

Sub. Irrigation. Mysore State.
Kolar Dt - Bagepalli Taluk.
Mudakavaripalle Bomma.
Lakere.

Ref. This govt's letter no. 2529 T/49.20 dated 5.2.52 and your letter no PW 10196-97. Dated 14.3.52

I am directed to invite your attention to the references cited. and to enquire when the information requested for, may be expected to reach this govt

y.f.

N 31.5.52 Ol 31.5.52

Ut 10.6.52

63.

P.W.D(J-3)

Letter No. 2529-J|49-23 dated 26-8-52.

To

The Secretary to the Government of Mysore,
P.W.D., Bangalore.

Sir,

Irrigation. Mysore State - Kolar Dt. - Bagepalli Taluk - Muddakavanipalli Bommalakere - Restoration of.

Ref: This Government's letters Nos. 2529-J|49-20, P.W., dated 5-2-52 & 2529-J|49-22, P.W. dated 10.6.52.

I am directed to invite your attention to the references cited and to enquire when the information requested ~~for in the reference first cited~~ may be expected to reach this Govt.

Yours faithfully,

17.8.52

18/8/52

28.8.52

1/2

65

GOVERNMENT OF MYSORE.

PW 5010 – 12

Public Works Secretariat,
Bangalore, 3 Sept. 1952.

From

The Secretary to Government,
Public Works Department.



To The Secretary to Government,
Public Works Department, Madras.

Sir,

Irrigation - Mysore State - Kolar District - Bagepally Taluk - Mudakavaripalle Bommalakere - Restoration.

....

p. 57 ante

I am directed to refer to your letter No.2529.J/49-20 dated 5-2-1952 and subsequent reminders on the above subject and to state that the tank has been silting up gradually and when surveys were made in 1948 for a project for restoration of the tank, it was found that the capacity which was 26 units in 1903-04 had got reduced to 14.32 units. The tank has been functioning with this gradually decreasing impounding capacity.

Yours faithfully,

K.S. Gangadhara

(K.S.Gangadhara)
Secretary to Government, 2.9.52
Public Works Department.

VV.1/9.

P.W.D (T-3)

Memo. No. 2529-T/49-24 dated 8-9-52.

Sub: Irrigation - Mysore State - Kolar Dt. - Bagepalli Taluk - Mudakavarapalli Bammalakere - Restoration of.

Ref: From the Secretary to the Govt of Mysore, P.W.D. Letter No. P.W. 5910-12 dated 3-9-52.

A copy of the letter cited is forwarded to the C.E.(S). with reference to para: 3 of his letter No: 3.5.17/49-R-15 dated 28.12-51 and he is requested to offer his remarks, if any, in the matter.

To:
The C.E(S) with copy of p.65 cf.

8/9/52 — issue in section. p 65 cf

5/9/52

5/9/52

p 55 cf

6F

memo no 2529 J/49 — 2)

Sub. Irrigation - Mysore State - Kolar Dt. - Bagepalle Taluk - Mandaka vanipalle Bommalakere - Restoration of

Ref. Govt memo no 2529 J/49-24 PWD 8 9/52

The attention of the CE (2) is invited to the reference cited and he is requested to expedite the submission of his report or state when it may be expected

To the CE (2)

By order
24/10/52

G.F. 32 (a)—14,20,016—5-10-51

PUBLIC WORKS

Department

From (Name) Sri A. R. Venkatachari, B. E., M. I. E., (Ind), M. Am Soc - E., I. S. E.,

Designation CHIEF ENGINEER FOR IRRIGATION,

Station CHEPAUK, MADRAS-5.

Receive ——— Registered ———

To

The Secretary to Government,

Public Works Department,

Madras.

ASSISTANT SECRETARY TO GOVERNMENT PUBLIC WORKS DEPARTMENT

Rec'd on 25 OCT 1952 89140

No. 3517/49 R-16. dated 20th October 1952.

Sir,

Sub:- Irrigation - Mysore State - Kolar District - Bagapalli Taluk - Mudakavirpalli Bommalakere - restoration of.

Ref:- Government - Memorandum No.2529 J/49-24 dated 8th September 1952.

- - - - -

In opinion No.26 dated 1st August 1952 of the Advocate General, it is stated that the restoration of lost capacities in its tanks by Mysore, cannot be objected to. Mysore, invariably says that she is merely restoring her lost capacity in this and similar cases and hence no action can be taken.

for Chief Engineer (Irrigation)

21/10/52

PCS.21/10/1952

21/10

P.W.D.(J.B)

Letter No. 2529 J/49-25 dated 13.6.1953.

To

The Secy. to Govt. of Mysore,
P.W.D., Bangalore.

Sir,

Irrigation - Mysore State - Kolar District - Bagepalli Taluk Mudakavaripalle Bommalakere - Restoration.

Your letter No.PW.5010-12 dated 3-9-1952.

I am directed to invite your attention to the reference cited and to request that this Govt. may kindly be furnished with information regarding the actual capacity to which the tank i.e. Mudakavaripalle Bommalakere has been restored and its ~~xyx~~ actual ~~registered~~ irrigated ayacut after restoration.

Y.F.

11/6/53 - W.D. 13.6.53

Copy to the C.E.(I)

~~Copy to Bd. of Revenue.~~

P.W.D.(J).

(C.No.2529-J/49.)

Sub:- IRRIGATION--Mysore State--Kolar District--Bagepalli taluk--Muddakaveripalli Bommalagere Reg. No.794--Restoration.

Ref:- From the Govt. of Mysore No.P.W.10184-85 Irn. 220-48-2 dated 14-6-1949.
Govt. Endt. No.2529 J/49-1 d/20-6-1949.
From the C.E.P.W.D.(I) Lr.No.3517/49.R.13 dated 12-8-1950.

To A.S.

Please see the letter from Mysore Govt. onp. p.1 c.f., the endt. to the C.E. on p.1 c.f. and the report of the C.E. on p.27 c.f.

2. With reference to clause 1 of the 1933 Agreement, the Mysore Govt. have intimated this Govt. of their proposa to restore to its original capacity their minor tank, Muddakkaveripalli Bommalagere, which has lost capacity due to gradual silting, by raising the bund etc., but without increasing its ayacut.

3. The C.E. whose remarks were called for reports that the Muddakaveripalli Bommalakere could not be locate in the Survey of India sheets and hence it could not be known which of the Madras sources would be affected by the proposal. He therefore requests that full details as regards location etc., of the tank may be called for from Mysore. He however states that Mysore can undertake the proposed work under clause 1(3) of 1892 Agreement. At the same time he invites attention to his previous letter sent in connection with a similar proposal of Mysc wherein he had stated that the cumulative effect of such proposals of Mysore would affect the Madras sources and suggested that Legal opinion might be obtained on the questi

whether Madras could object to such proposals - under the 1892 Agreement. He requests to be informed of the decision arrived at on the question.

4. The C.E. has included in his report his remarks on similar proposals of Mysore in respect of two other tanks viz., Tippapur Veddakattai and Pathapalli Balareddi kere. Extracts of the C.E.'s letter has been added to the connected (K) files and action is being taken separately on them. The particulars required by the C.E. relating to the Muddakaveripalli Bommalakere may be called for from Mysore. The question whether ~~Madras can~~ Mysore can undertake the restoration of such tanks without the prior consent of Madras ~~could object to such proposals of Mysore~~ under the 1892 Agreement is already under consideration separately and the Advocate General's opinion in the matter has been called for and is still awaited. This position has already been explained to the C.E.(I) in Endt. No.3001-J/50-3 dated 21-8-1950.

(K) p 31 of 3.4 F I
(in 24.3/48)
p 43 of 24 F II

for 1.6.15.148

5. A draft letter to Mysore is submitted for approval.

27/9/50

4.10.50

D.S
5.10.50

(From the Mysore Govt. Lr. No.P.W.7221-22 d/23-11-51.)
(Memo to the C.E.(I) No.2529 J/49-18 d/29-11-51.)
(From the C.E(I) No.3517/49. R.15 d/28-12-1951.)

In June 1949, the Mysore Govt. intimated this Govt, with reference to clause I of the 1933 Agreement, of their proposal to restore their Mudakavaripalli Bommalakere to its original capacity of 26 units from its existing capacity of 14.32 units, without increasing its ayacut. The C.E.(I) whose remarks were called for in the matter requested further particulars as regards location of tank etc. These were obtained from Mysore and furnished to him.

2. The C.E. states that the tank is in the Chitravathi catchment in Mysore, and is within the prohibited zone--vide item 30, Schedule B of 1892 Agreement. He points out that the particulars furnished by Mysore reveal that the registered ayacut of the tank has been irrigated in 1945-46, and more than 90 to 95% in most of the other years and that if this is the position, Mysore has no case for restoration aiming at increasing the capacity. He however states that under ~~rule~~ clause 1(3) of the 1892 Agreement, Mysore's restoration cannot be objected to, provided the quantity of water to be impounded or the area to be irrigated is not more than the quantity previously impounded or area previously irrigated and that till an exact interpretation of the meaning of the words "previously impounded" and "previously irrigated" is obtained, it is difficult to deal with such cases. He however states that a definite reply from Mysore is necessary to the question how long the tank has been functioning with the present reduced capacity, as our prescriptive rights on the unused waters of Mysore depend on the number of years that the tank has been functioning as at present.

3. It is submitted that the question whether Mysore could undertake such restoration without the prior consent of this Govt. with reference to the 1892

(Ct No. 2529 J/49)

Agreement is separately under consideration with special reference to the implication of the use of the word "previously" in clause 1(3) of the 1892 Agreement, ie whether a time limit is intended by it, etc. It is also being examined whether we could object to the restoration, if the water not used by Mysore due to the reduction in the capacity of the tank has been utilised by this Govt. for a period sufficient to acquire a prescriptive right for it. The opinion given by the previous Advocate General has not been fully accepted and hence the opinion of the present Advocate General is being called for. The decision in this will apply to the case of the restoration of the tank referred to in this file. If it is finally concluded that this Govt. can object to the restoration by Mysore, in cases where ~~if~~ the water unused by Mysore has been utilised by this Govt. sufficiently long to give us ~~acquire~~ a prescriptive right for it, it will be necessary in the present case to know how long the tank has been functioning with the present reduced capacity. Information on this point has not been furnished by Mysore, though asked for. Mysore may therefore be requested to furnish this information.

A draft letter is submitted for approval.

X

2.2.52

2/2/52

5.2.52

5/2/52

[Issued as letter No. 2589-J/49-20, P.O., dt 5.2.52.] p.57 cf.

[From the Govt. of Mysore, P.W.D. Letter No. P.W. 5010-12 dated 3-9-52.] p.65 cf.

A.S.

With reference to x above, the Govt. of Mysore have now stated that the Hudakavani-Palli - Bommalakere tank has been silting } p.65 cf.

up gradually and that it was found in 1948 that the capacity of the tank was only 14·32 units as against 26 units in 1903-04. They have also stated that the tank has been functioning with this gradual decrease in its impounding capacity. ~~In view of this~~ it does not seem possible for this Govt. to establish any prescriptive rights for the water not utilised by Mysore and which they now propose to impound by the restoration of the ~~tank in question. However,~~ A copy of the letter from Mysore may be forwarded to the CE(S) with reference to para. 3 of his letter dated 28·12·51 for remarks, if any. A Draft Memo. is submitted.

p 65 cf

= do =

p 55 cf

5/9/52 5/9/52 6.9.52

p 67 cf

p 59 cf

(Issued as memo no 2529 J/49.24 dt 8.9.52)

(From the C.E(S) no 3517-49 R.16 dated 20.X.52)

Notes from p 3 ante and the C.E's letter on p 69 cf may be perused.

2. The C.E. states that in view of the opinion of the present Advocate-General, on the general question of restoration of tanks in Mysore, ~~so~~ that the restoration of lost capacities in its tanks by Mysore, cannot be objected to, and as Mysore Govt say that the lost capacities of this & other ~~the~~ tanks, are alone restored, no action can be taken in the matter.

in file no 578 J/48 separately

p 69 cf

3. The opinion of the present Advocate General, on the general question of restoration of Mysore tanks referred to above, and the comments of the C E (I) thereon are being examined separately. The decision in that will apply to the case of restoration of the tank referred to in this file. Hence this may lie over till a decision is reached on the general question

1/11/52

1-11-52

1/11/52

To A.S.

The notes on pp.3-6 above may be perused.

In the file relating to the restoration of Chenchurayanapalli Urumandinakere and Marsalapalle Devankere in Mysore State, the question whether the Govt. of Mysore can without the prior consent of this Govt., undertake the restoration of their tanks situated in the zones falling within the prohibitory provisions of cl.II of the 1892 Agreement, in cases where the tanks have not been totally abandoned and where the works of restoration do not result in a capacity to impound or an acreage irrigable in excess of the quantity impounded or the area irrigated at any time previously was examined in consultation with the Advocate General. The Govt. have accepted the view of the A.G. that such restoration should be treated as repair works and Mysore can undertake them without the prior consent of this Govt. provided the original capacities of the ayacuts of the tanks are not exceeded by such restoration, though Mysore have to give to Madras prior intimation of the proposal to undertake restoration work under cl.1(i) of the 1933 Agreement.

This Govt. can however object under the General Law to such restoration works, if it can be proved that this Govt. have acquired a prescriptive right to the waters proposed to be impounded by the restoration works, by actual user for a period of over 20 years, it being clearly understood that the fact of the waters having flowed through this State is not enough for establishing such prescriptive right.

3. In the light of the above decision, it is considered that no objection can be raised successfully by this Govt. against the restoration works of Mysore. In the circumstances no effective action is considered possible by Madras to prevent Mysore taking up the works. Mysore has however been requested to report the actual irrigated ayacut of the two tanks mentioned in para 2 above after restoration, so as to make sure that the original capacity and ayacut are not exceeded.

4. As regards the restoration work of ~~this~~ the tank in question in this file the C.E. states that it cannot be objected to, as Mysore ~~is~~ states that she is only restoring the lost capacity of the tank. In view of the position stated in paras 2 and 3 above it seems sufficient if Mysore is requested to report the capacity irrigable ayacut of the tank after restoration, so as to ensure that the original capacity and ayacut of the tank are not exceeded.

A draft letter is submitted. After issue the papers may be recorded in a G.O.

11/6/53. DS

GoMS 2665 dt 24.6.53
Sub. Irrigation. Mysore State. Kolar Dt. Bagepalli taluk. Mudalakavanipalli Bommalakere Restoration Papers Recorded